



5





		UNLESS OTHERWISE SPECIFIED:		NAME	DATE	ULTRA PRESSURE COMPONENTS HOUSTON, TX		
	REVISION NOTES AND DATES	ALL DIMENSIONS ARE IN INCHES TOLERANCES AS FOLLOWS: 1 PLACE DECIMAL (.0): ±.020 2 PLACE DECIMAL (.00): ±.010 3 PLACE DECIMAL (.000): ±.005 ANGLES: ±2°	DRAWN	ВМ	06/24/2020			(
			CHECKED	KH	06/24/2020	TITLE:		
			DATE STARTED IN PRODUCTION:		1/2" NPT PLUG 15,000 psi			
		SURFACE FINISH: 63RMS	06/24/2020					
PROPRIETARY AND CONFIDENTIAL		BREAK ALL EDGES: .010015 FILLETS & ROUINDS: R.015 - 0.30				, 5,555 [25]		
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ULTRA PRESSURE COMPONENTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ULTRA PRESSURE COMPONENTS IS PROHIBITED.		THREADS UNIFIED CLASS 2A - 2B CHAMFER THREADS 45° TO ROOT 30° CHAMFER IS OPTIONAL FOR MALE THREADS ONLY				SIZE DWG. NO.		REV
			ultra	Press		A	5406P-8N	1
			W		e can handle Pressure	SCALE: 1:1	WEIGHT: 0.21	SHEET 1 OF 1

4 3