


9/16" Type M Male
9/16"-18UN Thread

3/8" JIC Male
9/16"-18UN Thread



SECTION A-A

REVISION NOTES AND DATES

UNLESS OTHERWISE SPECIFIED:

ALL DIMENSIONS ARE IN INCHES
TOLERANCES AS FOLLOWS:
1 PLACE DECIMAL (.0): ±.030
2 PLACE DECIMAL (.00): ±.020
3 PLACE DECIMAL (.000): ±.010
ANGLES: ±2°

SURFACE FINISH: 63RMS
BREAK ALL EDGES: .010-.015
FILLETS & ROUNDS: R.015 - 0.30

THREADS UNIFIED CLASS 2A - 2B
CHAMFER THREADS 45° TO ROOT
30° CHAMFER IS OPTIONAL
FOR MALE THREADS ONLY

	NAME	DATE
DRAWN	BM	8/17/2020
CHECKED	KH	8/17/2020
DATE STARTED IN PRODUCTION:		
8/17/2020		



**ULTRA PRESSURE COMPONENTS
HOUSTON, TX**

TITLE:
9/16" Type M Male x 3/8" JIC Male
15,000 psi

SIZE	DWG. NO.	REV
A	5404-6JM9-CUST	1

SCALE: 2.5:1 WEIGHT: 0.09 SHEET 1 OF 1

PROPRIETARY AND CONFIDENTIAL

THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF ULTRA PRESSURE COMPONENTS. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF ULTRA PRESSURE COMPONENTS IS PROHIBITED.